

## SCHEDULE 2 - OCCUPIER'S STATEMENT<sup>1</sup>

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
1 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
2 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
3 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
4 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
5 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
6 - DCP AB(E) 4.5KG	AS1851-2012, Section 12	No	N/A
1 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
10 - Fire Door - Double Even pair	AS1851-2012, Section 12	No	N/A
11 - Fire Door - Double Even pair	AS1851-2012, Section 12	No	N/A
12 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
13 - Exit Door - Single	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
14 - Exit Door - Single	AS1851-2012, Section 12	No	N/A
15 - Exit Door - Single	AS1851-2012, Section 12	No	N/A
2 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
3 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
4 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
5 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
6 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
7 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
8 - Fire Door - Double Even pair	AS1851-2012, Section 12	No	N/A
9 - Fire Door - Single	AS1851-2012, Section 12	No	N/A
0 - Test Switch Station	AS1851-2012, Section 12	No	N/A
1 - Exit Light	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
10 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
11 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
12 - Batten LED	AS1851-2012, Section 12	No	N/A
13 - Batten LED	AS1851-2012, Section 12	No	N/A
14 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
15 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
16 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
17 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
18 - Exit Light	AS1851-2012, Section 12	No	N/A
19 - Exit Light	AS1851-2012, Section 12	No	N/A
2 - Exit Light	AS1851-2012, Section 12	No	N/A
20 - Batten LED	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
21 - Exit Light	AS1851-2012, Section 12	No	N/A
22 - Exit Light	AS1851-2012, Section 12	No	N/A
23 - Exit Light	AS1851-2012, Section 12	No	N/A
24 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
25 - Exit Light	AS1851-2012, Section 12	No	N/A
26 - Exit Light	AS1851-2012, Section 12	No	N/A
27 - Exit Light	AS1851-2012, Section 12	No	N/A
28 - Exit Light	AS1851-2012, Section 12	No	N/A
29 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
3 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
30 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
31 - Exit Light	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
32 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
33 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
34 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
35 - Exit Light	AS1851-2012, Section 12	No	N/A
36 - Exit Light	AS1851-2012, Section 12	No	N/A
37 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
38 - Exit Light	AS1851-2012, Section 12	No	N/A
39 - Exit Light	AS1851-2012, Section 12	No	N/A
4 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
40 - Batten LED	AS1851-2012, Section 12	No	N/A
41 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
42 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
43 - Exit Light	AS1851-2012, Section 12	No	N/A
44 - Exit Light	AS1851-2012, Section 12	No	N/A
45 - Exit Light	AS1851-2012, Section 12	No	N/A
46 - Batten LED	AS1851-2012, Section 12	No	N/A
47 - Batten LED	AS1851-2012, Section 12	No	N/A
48 - Batten LED	AS1851-2012, Section 12	No	N/A
49 - Batten LED	AS1851-2012, Section 12	No	N/A
5 - Exit Light	AS1851-2012, Section 12	No	N/A
50 - Batten LED	AS1851-2012, Section 12	No	N/A
51 - Exit Light	AS1851-2012, Section 12	No	N/A
52 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
53 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
54 - Exit Light	AS1851-2012, Section 12	No	N/A
55 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
56 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
57 - Batten LED	AS1851-2012, Section 12	No	N/A
58 - Exit Light	AS1851-2012, Section 12	No	N/A
59 - Batten LED	AS1851-2012, Section 12	No	N/A
6 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
60 - Batten LED	AS1851-2012, Section 12	No	N/A
61 - Exit Light	AS1851-2012, Section 12	No	N/A
62 - Exit Light	AS1851-2012, Section 12	No	N/A
63 - Batten LED	AS1851-2012, Section 12	No	N/A
64 - Batten LED	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
65 - Batten LED	AS1851-2012, Section 12	No	N/A
66 - Exit Light	AS1851-2012, Section 12	No	N/A
67 - Batten LED	AS1851-2012, Section 12	No	N/A
68 - Batten LED	AS1851-2012, Section 12	No	N/A
69 - Exit Light	AS1851-2012, Section 12	No	N/A
7 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
70 - Batten LED	AS1851-2012, Section 12	No	N/A
71 - Batten LED	AS1851-2012, Section 12	No	N/A
72 - Spitfire Recessed Type	AS1851-2012, Section 12	No	N/A
8 - Exit Light	AS1851-2012, Section 12	No	N/A
9 - Exit Light	AS1851-2012, Section 12	No	N/A
1 - Pertronic	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
1 - Steel Fire Insulated Shutter	AS1851-2012, Section 12	No	N/A
002 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
003 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
004 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
005 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
006 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
007 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
008 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
009 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
010 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
011 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
012 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A

<b>Name of building and address:</b> DeMartini: 10 King Street Caboolture			
<b>Prescribed fire safety installation<sup>2</sup></b>	<b>Nominated Australian Standard or relevant maintenance requirements<sup>3</sup></b>	<b>Critical defect notice<sup>4</sup> issued during period covered by this statement (Yes/No)</b>	<b>Date of rectification of critical defect<sup>4</sup></b>
013 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
014 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
015 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
016 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
017 - Above ground Hydrant Valve	AS1851-2012, Section 12	No	N/A
1 - 36m - 19mm - Fire	AS1851-2012, Section 12	No	N/A
2 - 36m - 19mm - Fire	AS1851-2012, Section 12	No	N/A
3 - 36m - 19mm - Fire	AS1851-2012, Section 12	No	N/A
4 - 36m - 19mm - Fire	AS1851-2012, Section 12	No	N/A
1 - Diesel - Hydrant System Pump	AS1851-2012, Section 12	No	N/A
001	AS1851-2012, Section 12	No	N/A
002	AS1851-2012, Section 12	No	N/A

Name of building and address: DeMartini: 10 King Street Caboolture			
Prescribed fire safety installation <sup>2</sup>	Nominated Australian Standard or relevant maintenance requirements <sup>3</sup>	Critical defect notice <sup>4</sup> issued during period covered by this statement (Yes/No)	Date of rectification of critical defect <sup>4</sup>
003	AS1851-2012, Section 12	No	N/A

I, **Zac Pedler**, as an authorised person on behalf of **Flame Control Industries<sup>7</sup>**, declare the above listed *prescribed fire safety installations* have been *maintained* during the period covered by this statement in accordance with this code and as specified.

**Zac Pedler**

**Date: 22nd August 2025**

Notes:

1. Rows in the above table can be deleted for *prescribed fire safety installations* that are not installed in/for the building.
2. This yearly statement must be kept with the building's *maintenance records* in accordance with A2(c) and be produced on demand by local government officers and authorised officers of the Queensland Fire and Emergency Services.
3. For example, in accordance with manufacturer's instruction manual date day/month/year or in accordance with the building's *certificate of classification*.
4. Copies of *critical defect notices* issued and proof of rectification within the period of this statement must be attached.
5. This is also known as sound systems and intercommunication systems for emergency purposes.
6. Includes additional *fire safety installations* or conditions that are *required* under the building's *alternative solution* of the *Building Act 1975* or *NCC Vol. 1* clauses E1.10 and E2.3.
7. If the owner is signing or the *occupier* is not employed by a body corporate the 'name of organisation' section does not need to be completed.
8. Compliance is subject to the satisfactory completion of outstanding deficiency items identified in inspection reports.